



Jon R. Goodell, DVM

7509 South Sixth Street • Klamath Falls, OR 97603 • (541) 882-4556

Equine Vaccination Schedule

Vaccine	Foals/Weanlings	Yearlings	Performance	Pleasure/Ranch	Broodmares
3-way (Tetanus Toxoid, Eastern & Western Equine Encephalitis)	Non-vaccinated mare: 1 st : 4-5 mos. 2 nd : 5-6 mos. 3 rd : 6-7 mos. <u>Vaccinated mare</u> : 1 st : 5-6 mos. 2 nd : 6-7 mos. 3 rd : 7-8 mos.	Spring	Spring	Spring	Spring & 4-6 weeks prepartum
Flu Avert IN or Flu Rhino (Influenza)	1 st : 6-10 mos. 2 nd : >11 mos.	Spring & Fall	Spring & Fall	Spring & Fall	Spring & Fall Booster 4-6 weeks prepartum
5-Way (Tetanus Toxoid, Eastern & Western Equine Encephalitis, Flu & Rhino)	Non Vaccinated mare: 1 st : 4-5 mo, 2 nd : 5-6 mo, 3 rd : 6-7 mo. <u>Vaccinated mare</u> : 1 st : 5-6 mo, 2 nd : 6-7 mo, 3 rd : 7-8 mo	Spring - (then boost in Fall with Flu/Rhino)	Spring - (then boost in Fall with Flu/Rhino)	Spring - (then boost in Fall with Flu/Rhino)	Spring and 4-6 weeks prepartum
Rhino (EHV-1, Killed)	N/A	N/A	N/A	N/A	5 th , 7 th & 9 th month of gestation, Optional dose at 3 rd month
West Nile	Non-vaccinated mare: 1 st : 3 mos. 2 nd : 4 mos. 3 rd : 5 mos. <u>Vaccinated mare</u> : 1 st : 5-6 mos. 2 nd : 6-7 mos. 3 rd : 7-8 mos.	Spring	Spring	Spring	Spring Booster 4-6 weeks prepartum
Strangles (Intramuscular or Intranasal)	IM: 1 st : 4-5 mos. 2 nd : 5-6 mos 3 rd : 6-7 mos. IN: 1 st : 6-9 mos. 2 nd : 3 weeks later	Spring & Fall	Every 3-4 mos	Spring & Fall	Spring & Fall Booster 4-6 weeks prepartum
Potomac Horse Fever	1 st : 4-5 mos. 2 nd : 5-6 mos 3 rd : 6-7 mos.	Spring & Fall	Spring & Fall	Spring & Fall	Spring & Fall Booster 4-6 weeks prepartum

Rabies

--	--	--	--	--	--

Comments
Tetanus: Booster at time of penetrating injury or surgery if last dose was not administered within 6 mos.
Internasal Vaccine combination of 3-way, flu and rhino
Rhino:Vaccinate mares before breeding, Stallions should be vaccinated before breeding season
2 dose initial series
Use same vaccine each time (IM or IN)
Horses exposed to or neighboring irrigated pasture, Booster during July in endemic areas

In endemic areas